				٠,٠
Notice of Allowability	Application No.		Applicant(s)	
	09/743,132		RUSHBROOKE ET AL.	
	Examin r		Art Unit	
	Hoon Song		2882	
Notice of Allowability Examin r Art Unit				
8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) Deaper No. (b) including changes required by the proposed drawing correction filed , which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No.				
Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheat.				
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 				
Attachm nt(s)				
Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No Examiner's Comment Regarding Requirement for Deposit of Biological Material	·	4☐ Interview Summa 6☐ Examiner's Amer	al Patent Application (I ary (PTO-413), Paper adment/Comment ment of Reasons for a	No

Application/Control Number: 09/743,132

Art Unit: 2882

DETAILED ACTION

Allowable Subject Matter

Claims 1-18 are allowed over prior art.

The following is an examiner's statement of reasons for allowance:

None of the prior art teaches or suggests an apparatus constructed to interrogate a wall plate containing a plurality of wells by investigating luminescence characteristics of the plurality of wells at a time using a corresponding number of fiber bundles wherein two groups of collecting fibers from the plurality of fiber bundles are collated into two collections each of a corresponding number of fiber bundles and each of two collections is presented to one of two wavelength selective filters each of which has a different wavelength filtering characteristic from the other and two further bundles of optical fibers downstream of the filters separately collect and transfer light which transmitted by the

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoon. Song whose telephone number is 703-308-2736. The examiner can normally be reached on 8:30 AM - 5 PM, Monday - Friday.

Application/Control Number: 09/743,132 Page 3

Art Unit: 2882

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Glick can be reached on 703-308-4858. The fax phone number for the organization where this application or proceeding is assigned is 703-308-7722.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

DAVID V. BRUCE PRIMABY EXAMINER

Hoon Song 1185